



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
Barker et al.)	Examiner: Kenneth Bomberg
)	
Serial No.: 09/980,912)	Group Art Unit: 3754
)	
Filed: November 8, 2001)	
)	
Reinstated: June 30, 2003)	
)	
Title: Dosing Valve with Flow Rate)	
Sensor For a Beverage Dispenser)	
)	
Atty Docket: IMV-40009)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT - 37 C.F.R. §1.97(b)

Sir:

Enclosed is a copy of Information Disclosure Citation Form PTO/SB/08A.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as parcel post mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 17, 2005.


Kristine Carroll

It is respectfully requested that the cited documents be considered and that the enclosed copy of Information Disclosure Citation Form PTO/SB/08A be initialed by the Examiner to indicate such consideration and a copy thereof returned to applicant. The Examiner has advised that these listed references from the parent application PCT/GB00/01732 have been considered but a PTO-1449 was required. Applicants do not believe it is therefore necessary to attach copies of the listed patents.

Pursuant to 37 C.F.R. §197(h), the submission of this Information Disclosure Statement is not to be construed as a representation that a search has been made and is not to be construed as an admission that the information cited in this statement is material to patentability.

Pursuant to 37 C.F.R. §1.97, this Information Disclosure Statement is being submitted under 37 C.F.R. §1.97(b).

Should any fee be required, please charge Account No. 10-1324.

Respectfully submitted,

A handwritten signature in cursive script, reading "Michael Piontek", is written over a horizontal line.

Michael Piontek, Reg. No. 25,605
Pyle & Piontek
221 North LaSalle Street, Suite 850
Chicago, Illinois 60601
(312) 236-8123

